



Agenda Date: 10/06/21  
Agenda Item: 5A

**STATE OF NEW JERSEY**  
**Board of Public Utilities**  
44 South Clinton Avenue, 1<sup>st</sup> Floor  
Post Office Box 350  
Trenton, New Jersey 08625-0350  
[www.nj.gov/bpu/](http://www.nj.gov/bpu/)

WATER

IN THE MATTER OF THE PETITION OF NEW )  
JERSEY-AMERICAN WATER COMPANY, INC. FOR ) DECISION  
AUTHORIZATION TO IMPLEMENT A WASTEWATER )  
SYSTEM IMPROVEMENT CHARGE ) DOCKET NO. WR21060917  
OAL DOCKET NO. PUC 05854-2021S

**Parties of Record:**

**Christopher M. Arfaa, Esq., Corporate Counsel**, New Jersey-American Water Company, Inc.  
**Brian Lipman, Esq., Acting Director**, New Jersey Division of Rate Counsel

BY THE BOARD:

On June 15, 2021, New Jersey-American Water Company, Inc. ("NJAW," "Company" or "Petitioner"), a public utility corporation of the State of New Jersey, filed a petition pursuant to N.J.S.A. 48:2-21 and N.J.A.C. 14:9-11.1 et seq., for approval to implement a Wastewater System Improvement Charge ("WSIC") for the renewal of wastewater sewer system assets for the period of 2021 through 2023. ("Foundational Filing").

**BACKGROUND/PROCEDURAL HISTORY**

On July 7, 2021, the Board transmitted this matter to the Office of Administrative Law as a contested case. The petition was assigned to Administrative Law Judge ("ALJ") Tricia Caliguire. A status conference was held by ALJ Caliguire on July 30, 2021.

On August 26, 2021, the Company submitted Appendix A\_Revised August 2021, which was comprised of a list of WSIC-eligible projects. The Company indicated in its discovery responses that many of these projects are subject to change based on local conditions and budget limitations. Moreover, the Company represented that it will continue to mitigate infiltration and inflow (I&I) issues particularly during prolong wet periods and coastal storms on its wastewater infrastructure system within its service territory.

After proper notice to the general public in newspapers of general circulation, through customers' bill inserts and various social media outlets, including the Company's website, and after service of notice upon affected municipalities and counties within NJAWC's service area, two virtual public hearings were held on September 1, 2021 at 4:30 p.m. and 5:30 p.m. ALJ Caliguire presided over the hearings. No members of the public participated in either hearing and no written comments were received.

## **STIPULATION**<sup>1</sup>

NJAWC, Board Staff and the New Jersey Division of Rate Counsel (“Rate Counsel”) (collectively, “Stipulating Parties”) engaged in discovery and settlement discussions were held. As a result of these discussions, the Stipulating Parties executed a Stipulation of Settlement (“Stipulation”), on September 15, 2021. Based upon and subject to the terms and conditions set forth in the Stipulation, the Stipulating Parties stipulate and agree as follows:

1. The Stipulating Parties agree that they will use their best efforts to ensure that this Stipulation is presented to the BPU for approval at its October 6, 2021 public agenda meeting and that the Board Order approving this Stipulation will likewise become effective in accordance with N.J.S.A. 48:2-40.
2. The Stipulating Parties agree that service of the Board’s Order approving this Stipulation shall be in accordance with N.J.S.A. 48:2-40 and will be effective in seven days from a Board Order accepting this Stipulation or upon electronic service of said Order, as permitted by the Board in Docket No. EO20030254, on all parties, whichever is sooner.
3. The Stipulating Parties agree that NJAWC’s Foundational Filing, including the revised project list titled “Appendix A\_Revised August 2021” and attached to this Stipulation as Exhibit A, satisfies the requirements of N.J.A.C. 14:9-11.4(b).
4. The Stipulating Parties agree that the projects listed in Exhibit A have been reviewed and are WSIC-eligible projects within the scope and meaning of the definition set forth in N.J.A.C. 14:9-11.2 and N.J.A.C. 14:9-11.3(a) and are eligible to be included in NJAWC’s semi-annual WSIC filings pursuant to N.J.A.C. 14:9-11.5.
5. The Stipulating Parties agree that the revenue requirement associated with the actual costs of the approved projects listed in Exhibit A shall be recovered through future “WSIC filings” made during the “WSIC period” as those terms are defined in N.J.A.C. 14:9-11.2 at intervals and in a manner consistent with the requirements of N.J.A.C. 14:9-11.5.
6. The Stipulating Parties agree that the annual “base spending” as defined in N.J.A.C. 14:9-10.2 is \$2,413,340, based on the information filed in the Company’s last annual report on file with the Board (the 2020 Annual Report).
7. The Stipulating Parties agree that the maximum amount of annual WSIC revenue that may be collected by NJAWC is \$1,882,593, which is 5% of the total sum of wastewater revenues set in the Company’s last base rate case at BPU Docket No. WR19121516 and OAL Docket No. PUC 17894-19S and the Purchase Wastewater (Sewer) Treatment Adjustment Clause (“PSTAC”) revenues in effect on April 1, 2020 at BPU Docket No. WR20110719.

---

<sup>1</sup>Although described in this Order at some length, should there be any conflict between this summary and the Stipulation, the terms of the Stipulation control, subject to the findings and conclusions in this Order.

On September 22, 2021, ALJ Caliguire issued her Initial Decision Settlement (“Initial Decision”) in this matter recommending adoption of the Stipulation executed by the Stipulating Parties, finding that they voluntarily agreed to the Stipulation and that the Stipulation fully disposes of all issues and is consistent with the law.

### **DISCUSSION AND FINDINGS**

Based upon the information presented in the Foundational Filing and agreed to by the Parties in the Stipulation, the Board **HEREBY FINDS** that the Company's 2019 overall revenue for WSIC purposes is \$37,651,855. The Board **FURTHER FINDS** that the Petitioner's maximum amount of annual WSIC revenues that may be collected is \$1,882,593, or no more than 5% of the Company's total wastewater revenues established in the Company's most recent base rate case. The Company will implement the WSIC surcharge if, and when, it achieves specific levels of infrastructure investment and completes and places the facilities into service as required by N.J.A.C. 14:9-11.1 et seq. As an example, an average residential customer with a 5/8-inch meter may be subjected to a maximum monthly WSIC surcharge of \$3.05. These proposed rates are estimates and may change, however the maximum WSIC revenue requirement of \$37,651,855 or the annual WSIC revenue requirement of \$1,882,593 cannot be exceeded.

The Board **HEREBY ORDERS** that, in accordance with N.J.A.C. 14:9-11.5(b), the Petitioner shall make WSIC filings on a semi-annual basis, commencing approximately six months after the effective date of the Foundational Filing. The Petitioner must submit its semi-annual WSIC filing within 15 days of the end of the WSIC recovery period. WSIC filings shall be reviewed by Board Staff and Rate Counsel. The Petitioner may recover the interim surcharge associated with the WSIC-eligible projects closed during the WSIC recovery period not objected to by Board Staff or Rate Counsel beginning 60 days after the end of the WSIC recovery period, subject to refund at the Board's discretion. It is **FURTHER ORDERED** that the Petitioner must comply with the base spending requirements set forth in this Order. Failure to comply with the base spending requirements will result in a reduction and refund, where appropriate, of the WSIC surcharge. Thus, the Petitioner's WSIC surcharge is interim, subject to refund, and shall not exceed the annual maximum revenue requirement of \$1,882,593 set forth in this Order.

The Board **FURTHER ORDERS** that the Petitioner shall provide written notice to the Stipulating Parties when a project is removed from the list of WSIC-eligible projects, which is attached to the Stipulation as Exhibit A and identified as Appendix A\_Revised August 2021.

Additionally, the Board **ORDERS**, that in accordance with N.J.A.C. 14:9-11.4(e), if within three years after the effective date of this Order, the Petitioner has not filed a petition in accordance with the Board's rules for the setting of its base rates, all interim charges collected under the WSIC shall be deemed an over-recovery, and shall be credited to customers in accordance with the Board's rules.

Accordingly, having reviewed the record in this matter, including the Initial Decision and the Stipulation, the Board **HEREBY FINDS** that the Signatory Parties have voluntarily agreed to the Stipulation, and that the Stipulation fully disposes of all issues in this proceeding and is consistent with the law. The Board **FURTHER FINDS** the Initial Decision, which adopts the Stipulation, to be reasonable, in the public interest, and in accordance with the law. Accordingly, the Board **HEREBY ADOPTS** the Initial Decision and the Stipulation, attached hereto, including all attachments and schedules, as its own, incorporating by reference the terms and conditions of

the Stipulation, as if they were fully set forth at the length herein subject to the requirements set forth in N.J.A.C. 14:9-10.1 et seq., and the conditions set forth in this Order.

Based upon the foregoing, the Board **HEREBY APPROVES** the Company's Foundational Filing and **ORDERS** that the Company may implement a Wastewater System Improvement Charge, subject to this Order and Petitioner's ongoing compliance with the WSIC regulations, as well as conformity of the base spending requirements and semi-annual true-up submissions.

The effective date of this Order is October 13, 2021.

DATED: 10/6/21

BOARD OF PUBLIC UTILITIES  
BY:

  
JOSEPH L. FIORDALISO  
PRESIDENT

  
MARY-ANNA HOLDEN  
COMMISSIONER

  
DIANNE SOLOMON  
COMMISSIONER

  
UPENDRA J. CHIVUKULA  
COMMISSIONER

  
ROBERT M. GORDON  
COMMISSIONER

ATTEST:   
AIDA CAMACHO-WELCH  
SECRETARY

**IN THE MATTER OF THE PETITION OF NEW JERSEY-AMERICAN WATER COMPANY,  
INC. FOR AUTHORIZATION TO IMPLEMENT A WASTEWATER SYSTEM IMPROVEMENT  
CHARGE**

**BPU DOCKET NO. WR21060917  
OAL DOCKET NO. PUC 05854-2021S**

**SERVICE LIST**

Christopher M. Arfaa, Esq.,  
Director, Corporate Counsel  
New Jersey-American Water Company  
One Water Street  
Camden, NJ 08102  
[christopher.arfaa@amwater.com](mailto:christopher.arfaa@amwater.com)

Donald C. Shields  
Vice President and Director of Engineering  
New Jersey-American Water Company, Inc.  
1 Water Street  
Camden, NJ 08102  
[donald.shields@amwater.com](mailto:donald.shields@amwater.com)

John S. Tomac  
Senior Director, Rates and Regulatory  
New Jersey-American Water Company, Inc.  
1 Water Street  
Camden, NJ 08102  
[john.tomac@amwater.com](mailto:john.tomac@amwater.com)

**Division of Rate Counsel**  
140 East Front Street, 4<sup>th</sup> Floor  
Post Office Box 003  
Trenton, NJ 08625-0003

Brian Lipman, Esq., Acting Director  
[blipman@rpa.nj.gov](mailto:blipman@rpa.nj.gov)

Susan McClure, Esq.  
[smcclure@rpa.nj.gov](mailto:smcclure@rpa.nj.gov)

Christine Juarez, Esq.  
[cjuarez@rpa.nj.gov](mailto:cjuarez@rpa.nj.gov)

Emily Smithman, Esq.  
[esmithman@rpa.nj.gov](mailto:esmithman@rpa.nj.gov)

**Board of Public Utilities**  
44 South Clinton Avenue, 1<sup>st</sup> Floor  
Post Office Box 350  
Trenton, NJ 08625-0350

Mike Kammer, Director  
[mike.kammer@bpu.nj.gov](mailto:mike.kammer@bpu.nj.gov)

Megan Lupo  
[megan.lupo@bpu.nj.gov](mailto:megan.lupo@bpu.nj.gov)

Kyle Felton  
[kyle.fenton@bpu.nj.gov](mailto:kyle.fenton@bpu.nj.gov)

Yanina Lepore  
[yanina.lepore@bpu.nj.gov](mailto:yanina.lepore@bpu.nj.gov)

**Division of Law & Public Safety**  
R.J. Hughes Justice Complex, 7th Fl. West 25  
Market Street,  
P.O. Box 112  
Trenton, NJ 08625

Meliha Arnautovic, DAG  
[meliha.arnautovic@law.njoag.gov](mailto:meliha.arnautovic@law.njoag.gov)

Pamela Owen, DAG  
Assistant Section Chief  
[pamela.owen@law.njoag.gov](mailto:pamela.owen@law.njoag.gov)

Brandon Simmons, DAG  
[brandon.simmons@law.njoag.gov](mailto:brandon.simmons@law.njoag.gov)



**State of New Jersey**  
OFFICE OF ADMINISTRATIVE LAW

**INITIAL DECISION SETTLEMENT**

OAL DKT. NO. PUC 05854-21

AGENCY DKT. NO. WR21060917

**IN THE MATTER OF THE PETITION OF  
NEW JERSEY AMERICAN WATER COMPANY, INC.  
FOR AUTHORIZATION TO IMPLEMENT A CHARGE  
PURSUANT TO N.J.S.A. 48:2-21  
AND N.J.A.C. 14:9-11.1, et seq.**

---

**Christopher M. Arfaa**, Director and Corporate Counsel, for petitioner, New Jersey American Water Company, Inc.

**Meliha Arnautovic** and **Brandon Simmons**, Deputy Attorneys General, for Staff of the Board of Public Utilities (Andrew J. Bruck, Acting Attorney General, State of New Jersey, attorney)

**Susan E. McClure**, Managing Attorney, and **Christine Juarez**, Assistant Deputy Rate Counsel, and for Division of Rate Counsel (Brian Lipman, Acting Director)

Record Closed: September 22, 2021

Decided: September 22, 2021

BEFORE **TRICIA M. CALIGUIRE**, ALJ:

This proceeding involves the June 15, 2021, petition of New Jersey American Water Company, Inc. (NJAW, Company) filed with the New Jersey Board of Public Utilities (Board) seeking authorization to file and implement an automatic adjustment clause tariff that would

establish a Wastewater System Improvement Charge (WSIC). The petition was transmitted to the Office of Administrative Law (OAL) on July 7, 2021, for determination as a contested case. A telephone prehearing conference was held on July 30, 2021, and a prehearing order issued on August 4, 2021.

On September 1, 2021, two duly-noticed<sup>1</sup> public hearings were conducted by the OAL using Zoom Video Communications, a remote video and audio platform, due to the COVID-19 public health emergency in which the Governor of the State of New Jersey has issued Emergency Orders mandating stay-at-home protocols for citizens and public employees and restricting public gatherings. No members of the public appeared at the virtual public hearings and no members of the public submitted written comments on the Company's petition. The comments made by petitioner, staff of the Board, and the representative of the Division of Rate Counsel were transcribed and made a part of the record.

On September 22, 2021, the parties filed a Stipulation of Settlement which resolves all issues in this proceeding. (J-1.) Said Stipulation of Settlement has been signed by petitioner, staff of the Board, and the New Jersey Division of Rate Counsel.

The Stipulation of Settlement indicates the terms of settlement and is attached and fully incorporated herein.

I have reviewed the terms of settlement and I **FIND:**

1. The parties have voluntarily agreed to the settlement as evidenced by their signatures or their representatives' signatures on the attached document.
2. The settlement fully disposes of all issues in controversy between the parties and is consistent with the law.

---

<sup>1</sup> Proof of publication was provided by petitioner to the court reporter as an exhibit to the hearing transcripts; the public notice and proof of its publication are also part of the record. Copies of the transcripts of the public hearings have not been received at the OAL as of the date of this initial decision; petitioner has been directed to file the transcripts directly with the Secretary of the Board.

I hereby **FILE** my initial decision with the **BOARD OF PUBLIC UTILITIES** for consideration.

This recommended decision may be adopted, modified or rejected by the **BOARD OF PUBLIC UTILITIES**, which by law is authorized to make a final decision in this matter. If the Board of Public Utilities does not adopt, modify or reject this decision within forty-five days and unless such time limit is otherwise extended, this recommended decision shall become a final decision in accordance with N.J.S.A. 52:14B-10.

September 22, 2021

DATE



Tricia M. Caliguire

**TRICIA M. CALIGUIRE, ALJ**

Date Received at Agency:

September 22, 2021

Date Mailed to Parties:

September 22, 2021

TMC/nd



**APPENDIX**

**EXHIBITS**

**Jointly Submitted:**

J-1 Stipulation of Settlement

**BEFORE THE  
STATE OF NEW JERSEY  
BOARD OF PUBLIC UTILITIES  
OFFICE OF ADMINISTRATIVE LAW**

**IN THE MATTER OF THE PETITION : BPU DOCKET NO. WR21060917  
OF NEW JERSEY-AMERICAN WATER : OAL DOCKET NO. PUC 05854-21S  
COMPANY, INC. FOR :  
AUTHORIZATION TO IMPLEMENT A : STIPULATION OF SETTLEMENT  
WASTEWATER SYSTEM :  
IMPROVEMENT CHARGE :**

**APPEARANCES:**

**Christopher M. Arfaa, Esquire** for Petitioner, New Jersey-American Water Company, Inc.

**Meliha Arnautovic**, Deputy Attorney General for Staff of the New Jersey Board of Public Utilities (Andrew Bruck, Acting Attorney General of New Jersey)

**Susan E. McClure**, Deputy Rate Counsel, and **Christine Juarez**, Assistant Deputy Rate Counsel, for the Division of Rate Counsel (Brian Lipman, Esquire, Acting Director)

**TO: THE HONORABLE TRICIA CALIGUIRE, Administrative Law Judge**

**BACKGROUND**

On June 15, 2021, New Jersey-American Water Company, Inc. (“NJAWC” or “Company”), a public utility of the State of New Jersey, filed a petition with the Board of Public Utilities (“Board” or “BPU”) pursuant to N.J.S.A. 48:2-21 and N.J.A.C. 14:9-11.1 et seq. and such statutes and regulations and Board orders that may be deemed by the Board to be applicable, for approval of its Foundational Filing to enable the implementation of a Wastewater System Improvement Charge (“WSIC” or “Surcharge”) for the renewal of wastewater system assets for the period of 2021 through 2023.

NJAWC is engaged in the production, treatment and distribution of water and collection of wastewater within its defined service territory within the State of New Jersey. Said service territory includes portions of the following counties: Atlantic, Bergen, Burlington, Camden, Cape May, Essex, Gloucester, Hunterdon, Mercer, Middlesex, Monmouth, Morris, Ocean,

Passaic, Salem, Somerset, Union, and Warren. NJAWC currently serves approximately 652,000 water and fire service customers and 50,000 wastewater service customers throughout the state. NJAWC is a wastewater utility within the meaning of N.J.A.C. 14:9-11.2 and 14:9-1.2 and provides wastewater services in the following counties: Bergen (1 system), Burlington (2 systems), Camden (2 systems), Cape May (2 systems), Gloucester (1 system), Hunterdon (7 systems), Monmouth (2 systems), Morris (5 systems), Ocean (2 systems), Somerset (1 system), and Warren (2 systems).

In support of its petition, NJAWC submitted a Foundational Filing, consisting of the following information required by N.J.A.C. 14:9-11.4:

- a) An engineering evaluation report of NJAWC's sewer system that:
  - i. Identifies the rationale for the work needed to be accelerated for NJAWC to properly sustain its wastewater infrastructure;
  - ii. Demonstrates that the plan proposed to accelerate the renewal of the wastewater infrastructure is the most cost-effective plan;
  - iii. To the extent that elements of the wastewater infrastructure are failing, identifies what mechanisms are causing the failures; and
  - iv. Identifies what is being done to extend the life of NJAWC's wastewater infrastructure assets.
  
- b) The following WSIC project information for the upcoming WSIC period:
  - i. A list of projects with project identification numbers, WSIC-eligible asset class or category, and estimated project costs;

- ii. The nature, location, estimated duration of project work (including estimated in-service dates) and a description and reason for project necessity;
  - iii. Aggregate information capturing blanket type WSIC-eligible infrastructure to be rehabilitated or replaced (e.g., service laterals, manholes, etc.) and the estimated annual cost of such blanket type replacement programs;
  - iv. Vintage, condition, and other similar relevant, reasonably available information about the eligible infrastructure being rehabilitated or replaced; and
  - v. Other such relevant and appropriate information to assist in making an informed decision regarding any given project.
- c) The expected amount of NJAWC's base spending, including underlying detail documenting that the base spending has been made on the appropriate types of infrastructure; a proposed WSIC assessment, calculated in accordance with subsection N.J.A.C. 14:9-11.9; and work papers showing the detailed calculations supporting the proposed assessment schedule.

In BPU Docket No. WX19050614, the Board approved the implementation of new rules to establish a WSIC for BPU-regulated wastewater utilities, which were published in the New Jersey Register on December 7, 2020, and effective on that date. The WSIC rules were adopted as an amendment and addition to the N.J.A.C. as §§ 14:9-11.1 et seq. The rules set forth the conditions and procedures pursuant to which regulated wastewater utilities may seek recovery of

WSIC-eligible capital investments through monthly surcharges, set semi-annually, on customer bills.

On July 7, 2021, the Board transmitted this matter to the Office of Administrative Law as a contested case. The petition was assigned to Administrative Law Judge (“ALJ”) Tricia Caliguire. A status conference was held by ALJ Caliguire on July 30, 2021.

After proper notice to the general public in newspapers of general circulation and various social media outlets, including the Company’s website, and after service of notice upon affected municipalities and counties within NJAWC’s service area, two virtual public hearings were held on September 1, 2021 at 4:30 p.m. and 5:30 p.m. by ALJ Caliguire. No members of the public participated in either hearing.

NJAWC, Board Staff and the New Jersey Division of Rate Counsel (“Rate Counsel”) (collectively, “Stipulating Parties”) engaged in discovery and comprehensive settlement discussions were held. As a result of these discussions, the Stipulating Parties reached this stipulation of settlement (“Settlement”) resolving all issues in this proceeding subject to the terms and conditions stated herein.

On August 26, 2021, the Company submitted Appendix A\_Revised August 2021, which was comprised of a list of WSIC-eligible projects. The Company indicated in its discovery responses that many of these projects are subject to change based on local conditions and budget limitations. Moreover, the Company represented that it will continue to mitigate infiltration and inflow (I&I) issues particularly during prolong wet periods and coastal storms on its wastewater infrastructure system within its service territory.

### **SETTLEMENT AGREEMENT**

1. The Stipulating Parties agree that they will use their best efforts to ensure that this Stipulation is presented to the BPU for approval at its October 6, 2021 public agenda meeting

and that the Board Order approving this Stipulation will likewise become effective in accordance with N.J.S.A. 48:2-40.

2. The Stipulating Parties agree that service of the Board's Order approving this Stipulation shall be in accordance with N.J.S.A. 48:2-40 and will be effective in seven days from a Board Order accepting this Stipulation or upon electronic service of said Order, as permitted by the Board in Docket No. EO20030254, on all parties, whichever is sooner.

3. The Stipulating Parties agree that NJAWC's Foundational Filing, including the revised project list titled "Appendix A\_Revised August 2021" and attached to this Stipulation as Exhibit A, satisfies the requirements of N.J.A.C. 14:9-11.4(b).

4. The Stipulating Parties agree that the projects listed in Exhibit A have been reviewed and are WSIC-eligible projects within the scope and meaning of the definition set forth in N.J.A.C. 14:9-11.2 and N.J.A.C. 14:9-11.3(a) and are eligible to be included in NJAWC's semi-annual WSIC filings pursuant to N.J.A.C. 14:9-11.5.

5. The Stipulating Parties agree that the revenue requirement associated with the actual costs of the approved projects listed in Exhibit A shall be recovered through future "WSIC filings" made during the "WSIC period" as those terms are defined in N.J.A.C. 14:9-11.2 at intervals and in a manner consistent with the requirements of N.J.A.C. 14:9-11.5.

6. The Stipulating Parties agree that the annual "base spending" as defined in N.J.A.C. 14:9-10.2 is \$2,413,340, based on the information filed in the Company's last annual report on file with the Board (the 2020 Annual Report).

7. The Stipulating Parties agree that the maximum amount of annual WSIC revenue that may be collected by NJAWC is \$1,882,593, which is 5% of the total sum of wastewater revenues set in the Company's last base rate case at BPU Docket No. WR19121516 and OAL

Docket No. PUC 17894-19S and the Purchase Wastewater (Sewer) Treatment Adjustment Clause (“PSTAC”) revenues in effect on April 1, 2020 at BPU Docket No. WR20110719.

8. This Stipulation shall be binding on the Stipulating Parties to this proceeding upon approval hereof by the Board. This Stipulation shall bind the Stipulating Parties in this matter only and shall not be considered precedent in any other proceeding involving the Stipulating Parties hereto.

9. This Stipulation contains terms, each of which is interdependent with the others and essential in its own right to the signing of this Stipulation. Each term is vital to the agreement as a whole, since the Stipulating Parties individually and jointly state that they would not have signed the Stipulation had any term been modified in any way. In the event that any modifications whatsoever are made to this Stipulation, each of the Stipulating Parties hereto is entitled to certain procedures in the event of such occurrence.

10. If any modification is made to the terms of this Stipulation, the Stipulating Parties must be given the right to be placed in the position in which each Stipulating Party was before this Stipulation was executed. It is essential that each party be given the option either to modify its own position, to accept the proposed change(s) or to resume the proceeding as if no agreement had been reached.

11. The Stipulating Parties believe that these procedures are fair to all concerned and, therefore, they are made an integral and essential element of this Stipulation.

12. This Stipulation may be executed in as many counterparts as there are signatories to this Stipulation, each of which counterpart shall be an original, but all of which shall constitute one and the same instrument.

NEW JERSEY-AMERICAN WATER COMPANY, INC.

By:   
Christopher M. Arfaa  
Director Corporate Counsel

BRIAN LIPMAN, ACTING DIRECTOR  
DIVISION OF RATE COUNSEL

By: \_\_\_\_\_  
Christine Juarez  
Assistant Deputy Rate Counsel

ANDREW BRUCK  
ACTING ATTORNEY GENERAL OF NEW JERSEY  
Attorney for the Staff of the Board of Public Utilities

By: \_\_\_\_\_  
Meliha Arnautovic  
Deputy Attorney General

Dated: September \_\_, 2021




NEW JERSEY-AMERICAN WATER COMPANY, INC.

By:   
Christopher M. Arfaa  
Director Corporate Counsel

BRIAN LIPMAN, ACTING DIRECTOR  
DIVISION OF RATE COUNSEL


By: \_\_\_\_\_  
Christine Juarez  
Assistant Deputy Rate Counsel

ANDREW BRUCK  
ACTING ATTORNEY GENERAL OF NEW JERSEY  
Attorney for the Staff of the Board of Public Utilities


By:   
Meliha Arnautovic  
Deputy Attorney General

Dated: September \_\_, 2021


NEW JERSEY-AMERICAN WATER COMPANY, INC.

By:   
Christopher M. Arfaa  
Director Corporate Counsel

BRIAN LIPMAN, ACTING DIRECTOR  
DIVISION OF RATE COUNSEL

By:  9/15/21  
Christine Juarez  
Assistant Deputy Rate Counsel

ANDREW BRUCK  
ACTING ATTORNEY GENERAL OF NEW JERSEY  
Attorney for the Staff of the Board of Public Utilities

By:   
Meliha Arnautovic  
Deputy Attorney General

Dated: September \_\_, 2021

ID	Municipality	Project Title	NJAW Funded (dollars)	Project Type	Prop. Length (feet)	Prop. Dia. (inches)	Proposed Pipe Material	Decade Installed	Ex. Dia. (inches)	Existing Pipe Material	Accelerated Asset Investment Category	Est Project Duration	Estimated InService Quarter
10717	HADDON TWP	Foreman Avenue	\$400,000	Replace	1,000	8.00	PVC	1900	8	VCP	Relocation/Opportunity	90	2026Q4
10716	HADDONFIELD	Lincoln Ave @ Ellis Ave - Customers Backyard	320,000	Replace	800	8.00	PVC	1900	8	VCP	Relocation/Opportunity	60	2026Q4
10718	HADDONFIELD	Ellis Street and Lincoln Ave	304,000	Replace	760	8.00	PVC	1900	8	VCP	Relocation/Opportunity	60	2026Q4
10719	HADDONFIELD	E Park Avenue	178,000	Replace	444	8.00	PVC	1900	8	VCP	Relocation/Opportunity	30	2026Q4
10720	HADDONFIELD	Ravine Crossing at Maple and Narbert Ave	132,000	Replace	340	8.00	PVC	1900	8	VCP	Relocation/Opportunity	30	2026Q4
10731	HADDONFIELD	E Euclid Ave - Sewer Main Crossing	200,000	Replace	600	8.00	PVC	1900	15	VCP	Relocation/Opportunity	60	2025Q4
10732	HADDONFIELD	S Atlantic Ave - Wastewater Crossing	200,000	Replace	600	8.00	PVC	1900	8	VCP	Relocation/Opportunity	60	2025Q4
10734	HADDONFIELD	Upland Way - Wastewater Crossing	160,000	Replace	200	8.00	PVC	1900	8	VCP	Relocation/Opportunity	30	2025Q4
10735	HADDONFIELD	Haddon Ave	2,630,000	Replace	6,570	8.00	PVC	1900	8, 12	VCP	Safety and Reliability/Structural	90	2025Q4
10736	HADDONFIELD	Kings Highway	3,400,000	Replace	8,900	12.00	PVC	1940	6	VCP	Safety and Reliability/Structural	90	2025Q4
6111	LAKEWOOD	Pearl St sewer from Woehr St to Ocean Ave	141,800	Replace	709	8.00	PVC	1950	8	VCP	System Flows	60	2024Q4
6112	LAKEWOOD	Maple Ave sewer from Hackett St to E. 7th st	150,000	Replace	600	8.00	PVC	1950	8	VCP	System Flows	60	2023Q4
6113	LAKEWOOD	Ridge Ave sewer from Park Ave to Negba St and from Ridge to E 4th on Negba St	575,000	Replace	2,300	12.00	PVC	1950	8	VCP	System Flows	90	2025Q4
6114	LAKEWOOD	Squankum Rd sewer between Princeton Ave and E. 10th St	87,500	Replace	350	12.00	PVC	1950	8	VCP	System Flows	30	2024Q4
6115	LAKEWOOD	11th st sewer between Madison Ave and Clifton Ave	125,000	Replace	500	8.00	PVC	1940	8	VCP	System Flows	60	2026Q4
6116	LAKEWOOD	River Ave from High St to Henry St	770,000	Replace	2,800	12.00	PVC	1950	8	ACP	System Flows	90	2022Q4
6117	LAKEWOOD	Caranetta Drive SEWER from Kimball to central ave	950,000	Replace	2,365	8.00	PVC	1950	8	VCP	System Flows	90	2021Q4
6121	LAKEWOOD	5th Street SEWER replacement from lakewood ave to route 9	625,000	Replace	2,500	8.00	PVC	1950, 1960	8	ACP, VCP	System Flows	90	2025Q4
6123	LAKEWOOD	North Lake Dr sewer from Lakewood Ave to Clifton Ave, down Clifton Ave to Rte 88	1,250,000	Replace	5,000	12.00	PVC	1950	8	VCP, PVC	Safety and Reliability/Structural	90	2026Q4
7389	LAKEWOOD	S lake Dr sewer replace	250,000	Replace	900	8.00	PVC	1950	8	VCP, PVC	Safety and Reliability/Structural	60	2026Q4
10721	LAKEWOOD	Squankum Road from E County Line Road to Princeton Avenue	650,000	Replace	2,150	12.00	PVC	1950	8	ACP	System Flows	90	2026Q4
10722	LAKEWOOD	upsize 1,600 LF of 8" to 12" on Prospect St and Havenwood Ct	480,000	Replace	1,600	12.00	PVC	1950	8	PVC	System Flows	90	2027Q4
10807	LAKEWOOD	Level Lane/Summer Ave Sewer Upgrades	4,064,587	Replace	2,600	16.00	PVC	1960, 1970	12	ACP, PVC	System Flows	90	2022Q4
10809	LAKEWOOD	2nd St RR Crossing at Steckler St	120,000	Replace	122	8.00	PVC	1950	10	VCP	Safety and Reliability/Structural	30	2027Q4
10810	LAKEWOOD	Main St RR Crossing at Monmouth Ave	265,000	Replace	265	10.00	PVC	1950	12	VCP	Safety and Reliability/Structural	30	2025Q4
10811	LAKEWOOD	Cedar Bridge Ave RR Crossing at Hurley Ave	175,000	Replace	175	12.00	PVC	1950	8	ACP	Safety and Reliability/Structural	30	2025Q4
10812	LAKEWOOD	Spruce St from Chelsea to River Ave	381,000	Replace	866	8.00	PVC	1950	8	ACP	Safety and Reliability/Structural	60	2022Q4
10813	LAKEWOOD	RT9 WW from Cedar Ave to Henry Ave	2,676,000	Replace	2,230	12.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2022Q4
10814	LAKEWOOD	Central ave from Caranetta Dr to Sunset Ave	2,586,000	Replace	2,155	8.00	PVC	1950	8	ACP	Safety and Reliability/Structural	90	2024Q4
10815	LAKEWOOD	RT9 WW from Turin Ave to Providence Ave	306,000	Replace	255	12.00	PVC	2000	8	PVC	Safety and Reliability/Structural	30	2022Q4
10816	LAKEWOOD	John St from MLK-3545 to Rt9	88,000	Replace	200	8.00	PVC	1950	8	VCP	Safety and Reliability/Structural	30	2022Q4
10817	LAKEWOOD	Cedar Ct from RT9 to DE	444,000	Replace	1,010	8.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2023Q4
10818	LAKEWOOD	RT9 WW from Edgewood Ct to John St	876,000	Replace	730	8.00	PVC	1950	12	VCP	Safety and Reliability/Structural	60	2022Q4
10819	LAKEWOOD	N lake Dr crossing RT9	536,800	Replace	1,220	12.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2022Q4
10820	LAKEWOOD	RT9 WW from 6th St to 1st St	2,040,000	Replace	1,700	8.00	PVC	1940	8, 10	VCP	Safety and Reliability/Structural	90	2022Q4
10821	LAKEWOOD	10th St from MLK-866 to Clifton down to MLK-1773	394,000	Replace	895	10.00	PVC	1940	8	VCP	Safety and Reliability/Structural	60	2025Q4
10822	LAKEWOOD	Clifton Ave from 12th St to 10th St	486,200	Replace	1,105	8.00	PVC	1950	8, 12	VCP	Safety and Reliability/Structural	90	2024Q4
10823	LAKEWOOD	N Lake Dr from Lakewood Ave to Forrest Ave	1,184,000	Replace	2,690	12.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2025Q4
10824	LAKEWOOD	Holly St from Ocean Ave to Terminus	88,000	Replace	200	8.00	PVC	1950	8	VCP, PVC	Safety and Reliability/Structural	30	2023Q4
10825	LAKEWOOD	E 4th St from Ridge 4th St to Terminus -westward	268,400	Replace	610	8.00	PVC	1950	8	VCP	Safety and Reliability/Structural	60	2023Q4
10826	LAKEWOOD	E4th St from Cottage Pl to Negba St	154,000	Replace	350	8.00	PVC	1940, 1990	8	VCP, PVC	Safety and Reliability/Structural	30	2024Q4
10827	LAKEWOOD	Lexington Ave from 7th St to Courtney Rd	958,600	Replace	2,240	8.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2025Q4
10828	LAKEWOOD	RT9 from County Line Rd to 8th St	4,165,000	Replace	2,975	10.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2023Q4
10829	LAKEWOOD	RT9 from 6th St to 7th St	504,000	Replace	360	8.00	PVC	1940	8	VCP	Safety and Reliability/Structural	30	2027Q4
10801	LONG HILL TWP	2022 Long Hill Wastewater Rehabilitation	1,000,000	Rehab	6,500	8.00	Other	1940	8, 12	VCP	Safety and Reliability/Structural	90	2022Q4
10802	LONG HILL TWP	2023 Wastewater Pipeline Rehabilitation	1,000,000	Rehab	6,500	8.00	Other	1940	8, 10, 14	VCP	Safety and Reliability/Structural	90	2023Q4
10803	LONG HILL TWP	2024 Wastewater Pipeline Rehabilitation	1,000,000	Rehab	6,500	8.00	Other	1940	8	VCP	Safety and Reliability/Structural	90	2024Q4
10804	LONG HILL TWP	2021 Long Hill Wastewater Rehabilitation	2,000,000	Rehab	13,000	8.00	Other	1940	8, 10, 12, 14, 24	VCP	Safety and Reliability/Structural	120	2021Q4
10808	LONG HILL TWP	2025 Long Hill Rehabilitation	2,000,000	Rehab	13,000	8.00	Other	1950	8	VCP	Safety and Reliability/Structural	120	2025Q4
10783	MT EPHRAIM	Mt. Ephraim- Bell Road	600,000	Replace	1,250	8.00	PVC	1920	6	VCP	Safety and Reliability/Structural	90	2024Q4
10805	MT EPHRAIM	2nd Ave Lift Station Gravity Collection Main	776,250	Replace	1,725	12.00	PVC	1940	8	VCP	System Flows	90	2022Q4
10806	MT EPHRAIM	2nd Ave Lift Station Force Main	1,383,750	Replace	3,075	12.00	PVC	1960, 1970	12	PVC	System Flows	90	2022Q4
6347	OCEAN CITY	OC Sewer - 1100 to 1400 Block Wesley/Ocean Alley (HMM)	881,250	Replace	2,350	8.00	PVC	1910, 1920	6	VCP	Safety and Reliability/Structural	90	2026Q4
6349	OCEAN CITY	OC Sewer - W. 17th Street, just west of bridge (HMM)	165,000	Replace	440	8.00	PVC	1970	8	VCP	Safety and Reliability/Structural	30	2026Q4
6354	OCEAN CITY	OC Sewer - Gardens Parkway to W. Newcastle & W. Aberdeen (HMM)	1,028,750	Replace	2,210	12.00	PVC	1960	8	ACP, VCP	Safety and Reliability/Structural	90	2026Q4
6355	OCEAN CITY	OC Sewer - 1600 to 1700 Block Bay/Simpson Alley (HMM)	416,250	Replace	1,110	8.00	PVC	1960, 1970	8	ACP, VCP	Safety and Reliability/Structural	90	2026Q4
6358	OCEAN CITY	OC Sewer - 3400 Block West/Asbury Alley (HMM)	350,000	Replace	800	18.00	ACP	1960	8, 18	ACP	Safety and Reliability/Structural	60	2026Q4
6359	OCEAN CITY	OC Sewer - 900 to 1000 Block Central/Wesley Alley (BH)	281,250	Replace	1,125	8.00	PVC	1920	6	VCP	Safety and Reliability/Structural	90	2026Q4
6360	OCEAN CITY	OC Sewer - 5100 to 5200 Block West/Asbury Alley (BH)	330,000	Replace	1,100	12.00	PVC	1960	14	ACP	Safety and Reliability/Structural	90	2026Q4
6361	OCEAN CITY	OC Sewer - 51st Street between Haven/West and West/Asbury (BH)(CPS A-5)	372,000	Replace	992	12.00	PVC	1960	8, 12	ACP	Safety and Reliability/Structural	60	2026Q4
6362	OCEAN CITY	OC Sewer - 4800 to 5000 Block Asbury/Central Alley	670,125	Replace	1,787	8.00	PVC	1960	8	ACP	Safety and Reliability/Structural	90	2026Q4
6363	OCEAN CITY	OC Sewer - W. Atlantic Blvd, Gardens to Battersea (CPS)	892,750	Replace	1,846	12.00	PVC	1990	10	VCP	System Flows	90	2026Q4
6364	OCEAN CITY	OC Sewer - Gardens Parkway & W. Inlet Road (CPS)	729,750	Replace	1,946	12.00	PVC	1950	10	VCP	System Flows	90	2026Q4
6578	OCEAN CITY	OC Sewer - Spruce Road between Bay Ave and Leyte Lane (BH)	703,125	Replace	1,875	12.00	PVC	1960	10	VCP	Safety and Reliability/Structural	90	2026Q4
8946	OCEAN CITY	46th Street (West to Central)	250,000	Replace	520	24.00	PVC	1960	10, 24	ACP, PVC	System Flows	60	2026Q4
8949	OCEAN CITY	25th Street & 26th Street	400,000	Replace	930	8.00	PVC	1960	12	ACP	System Flows	60	2026Q4
9662	OCEAN CITY	Sanitary sewer on BAY AVENUE (29TH STREET TO 28TH STREET)	268,000	Replace	536	12.00	PVC	1980	12	PVC	Safety and Reliability	60	2027Q4
9663	OCEAN CITY	Sanitary Sewer on BAY AVENUE (28TH STREET TO VINEYARD WAY)	268,500	Replace	537	12.00	PVC	1980	8, 12	PVC	Safety and Reliability	60	2027Q4
9664	OCEAN CITY	Sanitary Sewer on Bay Avenue	291,500	Replace	583	12.00	PVC	1960	12	ACP	Safety and Reliability	60	2026Q4
9665	OCEAN CITY	Sanitary sewer on 26TH STREET (BAY AVENUE TO BAY/SIMPSON ALLEY)	94,500	Replace	189	8.00	PVC	1960	12	ACP	Safety and Reliability	30	2026Q4
9666	OCEAN CITY	Sanitary sewer on BAY AVENUE/SIMPSON AVENUE ALLEY (26TH STREET TO 25TH STREET)	385,500	Replace	771	8.00	PVC	1980	12	PVC	Safety and Reliability	60	2027Q4
9667	OCEAN CITY	Sanitary sewer on 25TH STREET (BAY/SIMPSON ALLEY TO HAVEN AVENUE)	228,500	Replace	457	8.00	PVC	1980	8	PVC	Safety and Reliability	30	2027Q4

ID	Municipality	Project Title	NJAW Funded (dollars)	Project Type	Prop. Length (feet)	Prop. Dia. (inches)	Proposed Pipe Material	Decade Installed	Ex. Dia. (inches)	Existing Pipe Material	Accelerated Asset Investment Category	Est Project Duration	Estimated InService Quarter
9668	OCEAN CITY	Sanitary sewer on 25TH STREET (HAVEN AVENUE TO WEST/ASBURY ALLEY)	233,500	Replace	467	8.00	PVC	1950	8	ACP	Safety and Reliability	30	2026Q4
9669	OCEAN CITY	Sanitary sewer on SIMPSON/HAVEN ALLEY (25TH STREET TO 24TH STREET)	239,000	Replace	478	8.00	PVC	1980	12	PVC	Safety and Reliability	30	2027Q4
9670	OCEAN CITY	Sanitary sewer on WESLEY/OCEAN ALLEY (E. 15TH STREET TO E. 14TH STREET)	260,000	Replace	520	8.00	PVC	1920	6	VCP	Safety and Reliability	60	2027Q4
9671	OCEAN CITY	Sanitary sewer on WESLEY/OCEAN ALLEY (E. 14TH STREET TO E. 13TH STREET)	279,500	Replace	559	8.00	PVC	1910	8	VCP	Safety and Reliability	60	2027Q4
9672	OCEAN CITY	Sanitary sewer on WESLEY/OCEAN ALLEY (E. 13TH STREET TO E. 12TH STREET)	280,500	Replace	561	8.00	PVC	1910	6	VCP	Safety and Reliability	60	2027Q4
9673	OCEAN CITY	Sanitary sewer on WESLEY/OCEAN ALLEY (E. 12TH STREET TO E. 11TH STREET)	289,000	Replace	578	8.00	PVC	1910	6, 8	VCP	Safety and Reliability	60	2027Q4
9674	OCEAN CITY	Sanitary sewer on WESLEY AVENUE (AT 28TH STREET)	392,000	Replace	784	8.00	PVC	1950	6	ACP, VCP	Safety and Reliability	60	2026Q4
9675	OCEAN CITY	Sanitary sewer on WESLEY AVENUE (AT 27TH STREET)	309,000	Replace	618	8.00	PVC	1940	6	VCP	Safety and Reliability	60	2027Q4
9676	OCEAN CITY	Sanitary sewer on SIMPSON/BAY ALLEY (E. 17TH STREET TO E. 16TH STREET)	319,500	Replace	639	8.00	PVC	1960	8	ACP	Safety and Reliability	60	2026Q4
10723	OCEAN CITY	W 17th St Loop Sewer Replacement	585,000	Replace	1,560	8.00	PVC	1970	8	VCP	Safety and Reliability/Structural	90	2024Q4
10724	OCEAN CITY	OC Sewer- 900 Block Alley Between Bay and Simpson Ocean City	171,000	Replace	456	8.00	PVC	1920	6	VCP	Safety and Reliability/Structural	30	2022Q4
10725	OCEAN CITY	OC Sewer- 2600-2900 Block of Wesley Ave Main Replacment	607,500	Replace	1,620	8.00	PVC	1940, 1950	6	ACP, VCP	Safety and Reliability/Structural	90	2024Q4
10726	OCEAN CITY	OC Sewer 900-1000 Block Wesley Ave From Dead End to D47	161,250	Replace	430	8.00	PVC	1920	6	VCP	Safety and Reliability/Structural	30	2024Q4
10727	OCEAN CITY	West/Asbury Alley from 48th to 51st Street	855,000	Replace	1,710	16.00	PVC	1960	14, 16	ACP	Safety and Reliability/Structural	90	2024Q4
10728	OCEAN CITY	OC Sewer- 5300 to 5200 Block between Haven and West Ave	196,125	Replace	523	8.00	PVC	1970	12	ACP	Safety and Reliability/Structural	60	2024Q4
10729	OCEAN CITY	West Ave from 47th to 48th St & 48th St from West to Central	624,800	Replace	1,136	18.00	PVC	1960	8, 18	ACP	Safety and Reliability/Structural	90	2024Q4
10730	OCEAN CITY	West Ave 9th Street to 12th St Sewer Replacement	1,304,600	Replace	2,372	18.00	PVC	1960	18	ACP, PCCP	Safety and Reliability/Structural	90	2024Q4
10737	OCEAN CITY	Inlet Seaspray Alley 200 Block	347,900	Replace	994	8.00	PVC	1960	8	ACP	Safety and Reliability/Structural	90	2024Q4
10738	OCEAN CITY	38th and Central	500,000	Replace	1,175	8.00	PVC	940, 1950 197, 8, 10, 12, 15	AC, VCP, PVC	Safety and Reliability/Structural	90	2024Q4	
10739	OCEAN CITY	OC- 36th, Asbury and Haven	862,500	Replace	2,300	8.00	PVC	1960	8	ACP	Safety and Reliability/Structural	90	2024Q4
10740	OCEAN CITY	OC Sewer- 2300 Block Of Sewer between Bay and Simpson ave and Simpson and Heaven Ave	572,625	Replace	1,527	8.00	PVC	1960	6, 10, 12	ACP, VCP	Safety and Reliability/Structural	90	2024Q4
10741	OCEAN CITY	Battersea Road from E. Station Road to North Street Sewer Main Replacement	1,277,550	Replace	2,839	12.00	PVC	1950, 1970	6, 8	VCP, AC	Safety and Reliability/Structural	90	2024Q4
10742	OCEAN CITY	OC Sewer- Alley Simpson/Haven/West at 35th	350,000	Replace	915	8.00	PVC	1960	8, 10	ACP, VCP	Safety and Reliability	60	2024Q4
10743	OCEAN CITY	Glenwood Dr, Spruce Dr and Leyte Dr	1,005,000	Replace	2,680	8.00	PVC	1930, 1950	4, 6	VCP	Safety and Reliability/Structural	90	2027Q4
10744	OCEAN CITY	Ocean Road from North St to Gull Rd & Laurel Rd Sewer Main Replacement	926,875	Replace	2,205	8.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2027Q4
10745	OCEAN CITY	OC Sewer- Central/Asbury Alley 34th to 36th	412,500	Replace	1,100	8.00	PVC	1950	8	VCP	Safety and Reliability/Structural	90	2027Q4
10746	OCEAN CITY	E. Atlantic Boulevard from Gardens Parkway to E. Seaspray Road & Wesley Rd Sewer Main Replacement	9,916,300	Replace	1,621	12.00	PVC	1950, 1960	8	ACP	Safety and Reliability/Structural	90	2024Q4
10747	OCEAN CITY	OC Sewer 2000 and 2100 Block between Bay and Simpson, Haven and Simpson	969,375	Replace	2,585	8.00	PVC	1950	6, 8	VCP	Safety and Reliability/Structural	90	2027Q4
10748	OCEAN CITY	Ocean Road from E. Atlantic Boulevard to Gull Road and Surf Rd East of Ocean Road	694,500	Replace	1,852	8.00	PVC	1950, 1990	6, 8, 10	VCP, PVC	Safety and Reliability/Structural	90	2024Q4
10749	OCEAN CITY	Wesley Road & W. Surf Road Sewer Main Replacement	909,500	Replace	2,140	8.00	PVC	1960	8, 12	ACP	Safety and Reliability/Structural	90	2024Q4
10750	OCEAN CITY	OC Sewer- Bartram Lane and Westminster Lane	956,250	Replace	2,250	8.00	PVC	1960, 1980	6, 8, 12	ACP	Safety and Reliability/Structural	90	2025Q4
10751	OCEAN CITY	OC Sewer- Bay Ave 2000-2200 Block	767,250	Replace	8.00	8.00	PVC	1930, 1950	6	VCP	Safety and Reliability/Structural	90	2025Q4
10752	OCEAN CITY	W. Seabright Road & W. Seaspray Road Alley Sewer Main Replacement	979,200	Replace	1,948	8.00	PVC	1960	8	ACP	Safety and Reliability/Structural	90	2025Q4
10753	OCEAN CITY	OC Sewer- Somerset Lane	308,125	Replace	725	12.00	PVC	1920	8, 18	VCP, CI	Safety and Reliability/Structural	60	2025Q4
10754	OCEAN CITY	3rd Street from West Avenue to Atlantic Avenue Sewer Main Replacement	1,118,500	Replace	1,587	18.00	PVC	1980	8	PVC	Safety and Reliability/Structural	90	2025Q4
10755	OCEAN CITY	West Avenue from 12th Street to 14th Street Sewer Main Replacement	765,000	Replace	1,710	18.00	PVC	1970	6	ACP, PVC	Safety and Reliability/Structural	90	2025Q4
10756	OCEAN CITY	OC Sewer- Ocean Village South	1,500,000	Replace	1,100	8.00	PVC	1920	8, 12	VCP	Safety and Reliability/Structural	90	2022Q4
10757	OCEAN CITY	Atlantic Avenue between 3rd Street to 5th Street Sewer Main Replacement	734,000	Replace	1,187	12.00	PVC	1920	8	VCP	Safety and Reliability/Structural	90	2025Q4
10758	OCEAN CITY	Atlantic Avenue between 3rd Street and North Street Sewer Main Replacement	1,057,350	Replace	1,683	12.00	PVC	1920	6	VCP	Safety and Reliability/Structural	90	2025Q4
10759	OCEAN CITY	OC Sewer- Bayonne and Bay Avenue	1,100,000	Replace	1,300	8.00	PVC	1920	6, 12	VCP	Safety and Reliability/Structural	90	2022Q2
10760	OCEAN CITY	3rd Street from Atlantic Avenue to Corinthian Avenue Sewer Main Replacement	624,000	Replace	1,048	16.00	PVC	1920	12	VCP	Safety and Reliability/Structural	90	2025Q4
10761	OCEAN CITY	Corinthian Avenue from 3rd Street to 5th Street	1,305,450	Replace	2,901	12.00	PVC	1950	8	ACP	Safety and Reliability/Structural	90	2025Q4
10762	OCEAN CITY	OC Sewer- Alley Bay/Simpson from 33rd to 31st	720,000	Replace	1,800	8.00	PVC	1950, 1960	8, 12, 18	ACP, VCP	Safety and Reliability/Structural	90	2025Q4
10763	OCEAN CITY	Ocean City Sewer- Bay and 25th Sewer Redesign	1,300,000	Replace	2,753	12.00	PVC	1920	6	VCP	Safety and Reliability/Structural	90	2025Q4
10764	OCEAN CITY	Brighton Avenue 5th Street Alley Sewer Main Replacement	217,875	Replace	581	8.00	PVC	1920	6	VCP	Safety and Reliability/Structural	60	2025Q4
10765	OCEAN CITY	Park Avenue 4th Street Alley Sewer Main Replacement	390,375	Replace	1,041	8.00	PVC	1940	6, 8	ACP, VCP	Safety and Reliability/Structural	90	2025Q4
10766	OCEAN CITY	Ocean City Sewer- 14th street Boardwalk to West and Ocean Ave	847,450	Replace	1,994	12.00	PVC	1910	6	VCP	Safety and Reliability/Structural	90	2025Q4
10768	OCEAN CITY	Dead End to 13th	390,375	Replace	1,043	8.00	PVC	1920	6	VCP	Safety and Reliability/Structural	90	2025Q4
10769	OCEAN CITY	Delaney Place Sewer Main Replacement	390,375	Replace	1,046	8.00	PVC	1920, 1930	6, 8, 12	VCP	Safety and Reliability/Structural	90	2025Q4
10770	OCEAN CITY	Corinthian Avenue from 3rd Street to North Street and Nassau Road and Delaney Place Beach Block	1,194,000	Replace	2,340	12.00	PVC	1960	6, 10	ACP, VCP	Safety and Reliability/Structural	90	2023Q4
10771	OCEAN CITY	Ocean City Sewer- 16th and Chelsea to Wesley Ave	323,000	Replace	760	12.00	PVC	1920	6, 8	VCP	Safety and Reliability	60	2025Q4
10772	OCEAN CITY	Stenton Place from Atlantic Avenue to Boardwalk	580,000	Replace	1,280	8.00	PVC	1920, 1990	6, 8	VCP, PVC	Safety and Reliability/Structural	90	2025Q4
10773	OCEAN CITY	Morningside Road, Gardens Road, North Street Sewer Main Replacement	901,250	Replace	1,870	8.00	PVC	1960	10, 12	ACP, VCP	Safety and Reliability/Structural	90	2025Q4
10774	OCEAN CITY	OC Sewer 16th Simpson and Bay Alley Sewer	410,000	Replace	751	12.00	PVC	1920, 1950	8	ACP, VCP	Safety and Reliability/Structural	60	2026Q4
10775	OCEAN CITY	Ocean City 13th and 12th street and Ocean Ave	557,625	Replace	1,487	8.00	PVC	1920	8	VCP	Safety and Reliability/Structural	90	2027Q4
10776	OCEAN CITY	Bay Ave Simpson Ave Alley between 6th and 7th St	166,125	Replace	445	8.00	PVC	1970	6, 8	VCP	Safety and Reliability/Structural	30	2027Q4
10777	OCEAN CITY	17th Street and Bay Avenue	797,500	Replace	1,549	8.00	PVC	1990	10	PVC	Safety and Reliability/Structural	90	2027Q4

